



www.metcomgroup.com



About us... O nama...

Metcom Group has been serving in the metal industry sector for more than 20 years.

High technological equipment, technical information support and fast delivery service. Company, which specializes in mechanical treatment, joint grouting, sizing and all kinds of decorative processing. Stainless Steel, aluminium, galvanized sheet, black sheet, press brake, CNC fiber laser cutting, CNC guillotine cutting, welding, gas welding, electrostatic powder paint and many other sheet processing operations.

Why METCOM?

- Fully integrated facility.
- High capacity production
- Wide product range
- Alloy competencies
- High quality
- Wide machine park
- Professional service
- Support of project
- Support of design
- Fast and timely delivery
- Reasonable prices

Metcom Group posluje u sektoru metalne industrije više od 20 godina.

Visoka tehnološka oprema, tehnička informativna podrška i brza usluga isporuke. Kompanija koja je specijalizovana za mehaničku obradu, fugovanje fuga, dimenzionisanje i sve vrste ukrasne obrade. Nerđajući čelik, aluminijum, pocinkovani lim, crni lim, preša. CNC lasersko sječenje vlakana. CNC rezanje giljotinom, zavarivanje, zavarivanje gasom, elektrostatička praškasta boja i mnogi drugi postupci obrade limova

Zašto METCOM?

- Potpuno integrisan objekat.
- Proizvodnja velikog kapaciteta.
- Širok asortiman proizvoda.
- Legirane kompetencije.
- Visok kvalitet.
- Široki mašinski park.
- Profesionalna usluga.
- Podrška projektu.
- Podrška dizajnu.
- Brza i pravovremena isporuka.
- Prikladne cene.

Corporate Values Korporativne vrednosti

Quality Policy

Respecting the environment, our employees, our solution partners and our customers. To follow the technological developments in our sector. To enable our employees to develop individually. Being honest and fair in our relations is one of our quality policies that we will not compromise.

We observe our highest moral values in decisions and relationships. To fulfill the provided services within the committed time. To provide a working environment for the employees throughout the company in which they will work with high motivation.

Politika kvaliteta

Poštujući životnu sredinu, zaposleni, partneri u rešenju i kupci. Da pratimo tehnološki razvoj u našem sektoru. Omogućiti našim zaposlenima da se razvijaju individualno. Iskrenost i poštenje u našim odnosima jedna je od naših politika kvaliteta koju nećemo kompromitovati.

U odlukama i odnosima poštujemo svoje najviše moralne vrednosti. Da izvrši pružene usluge u predviđenom roku. Obezbediti radno okruženje za zaposlene u celoj kompaniji u kojoj će raditi sa visokom motivacijom.

Health, Safety and Environmental Policy

Being aware of social responsibility and environment. Using resources effectively and rationally.

To minimize the factors that can cause environmental pollution. To accept the continuous development and improvement compatible with the environment as a social duty in the planning and application of all of our processes with the awareness that we have borrowed the environment where we are living in from our children. We give annual seminars on health, safety and environmental management to all our employees.

Politika zdravlja, bezbednosti i zaštite životne sredine

Svesni društvene odgovornosti i okoline. Korišćenje resursa efikasno i racionalno.

Da se minimiziraju faktori koji mogu prouzrokovati zagađenje životne sredine. Prihvatiti kontinuirani razvoj i usavršavanje kompatibilne sa životnom sredinom kao društvenu dužnost u planiranju i primeni svih naših procesa sa svesću da smo sredinu u kojoj živimo pozajmili od svoje dece. Svim našim zaposlenima održavamo godišnje seminare o zdravlju, sigurnosti i upravljanju životnom sredinom.

METCOM CONSTRUCTION

Metcom Gradnja

Renovation...


Typically though, most whole house renovations involve at least the kitchen and bathroom along with other necessary improvements to the home, which may include the basement, laundry room, bedrooms and other common areas.

Upgrades and repairs may also be needed with insulation, the flooring, plumbing and HVAC, along with electrical and wall finishes. In some instances, the exterior and structural elements of the home may also need to be looked at including the home's framing, masonry, roofing, landscaping and windows & doors.

Renoviranje ...

Obično, većina obnova čitavih kuća uključuje barem kuhinju i kupatilo, zajedno sa ostalim neophodnim poboljšanjima kuće, koja mogu obuhvaćati podrum, vešeraj, spavaće sobe i druge zajedničke prostore.

Nadogradnje i popravke takođe mogu biti potrebne kod izolacije, podova, vodovoda i HVAC zajedno sa električnim i zidnim završnim obradama. U nekim slučajevima će možda trebati pogledati i spoljne i strukturne elemente kuće, uključujući uramljivanje, zidanje, pokrivanje krovova, uređenje prostora i prozore i vrata.




 **METCOM**
GROUP
www.metcomgroup.com



Repair & Refurbishment
Popravak & Obnova


Gypsum Plaster
Gipsani Gips



Interior&Exterior Painting
Unutarnje i Vanjske Boje


Tiles and Ceramic
Pločice i Keramika





Interior & Exterior Sheathing
Unutarnje i Vanjske Obloge


Gypsum & Suspended Ceiling
Gips i ovješeni strop



Plumbing
Vodovod



Mechanical Works
Mehanicki rad



METCOM METAL

About us...

Metcom Group has been serving in the metal industry sector for more than 20 years.

In 5000 m2 area with high technological equipment, technical information support and fast delivery service.


Company, which specializes in mechanical treatment, joint grouting, sizing and all kinds of decorative processing.

Stainless steel, Aluminum, Galvanized Sheet, Black Sheet, Press Brake, CNC Fiber Laser cutting, CNC Guillotine cutting, Welding, Gas Welding, Electrostatic Powder Paint and many other sheet processing operations.

On nama...

Metkom Group posluje u sektoru metalne industrije više od 20 godina.

Na površini od 5000 m2 sa visoko tehnološkom opremom, tehničkom informativnom podrškom i brzom dostavom. Kompanija koja se bavi mehaničkom obradom, fugovanjem fuga, dimenzionisanjem i svim vrstama dekorativne obrade. Nerđajući čelik, aluminijum. Pocinkovani lim, crni lim, presna kočnica, lasersko rezanje sa CNC vlaknima. CNC rezanje giljotinom, zavarivanje, zavarivanje gasom, elektrostatička boja u prahu i mnogi drugi postupci obrade limova.





CNC LASER CUTTING CNC LASERSKO REZANJE






ELECTROSTATIC POWDER COATING ELEKTROSTATIČNI PREMAZI U PRAHU

Saving on apparatus and mold from laser cutting operations. Since the workload rests on the machines, errors caused by the human factor are indirectly reduced.

Ušteda na aparatima i kalupu od laserskog rezanja. S obzirom na to da opterećenje leži na mašinama, greške uzrokovane ljudskim faktorom se indirektno smanjuju.

Our nata brand double station CNC grouting machine in our company; your composite sheets are optimized to the most suitable sheet size with the drawings made in computer environment and the margin of error is reduced to zero. Your composite joint, sizing and all kinds of motif processing productions are at your services 24/7 by our expert staff.


Naša CNC mašina za injektiranje sa dvostrukom stanicom marke Nata u našoj kompaniji; vaši kompozitni listovi su optimizirani na najprikladniju veličinu lista s crtežima izrađenim u računarskom okruženju i granica greške je smanjena na nulu. Vaše stručno osoblje nudi vam usluge kompozita, dimenzioniranja i svih vrsta obrada motiva 24/7.



METCOM SCAFFOLDING METCOM SKELE

Our company, which grows rapidly in a very balanced and healthy structure, stands out with its reliable service; has also strengthened its quality policy with the TSE certificate, the Safety Scaffolding System Compliance Report approved by Gebze Technical Institute of Technology and the ISO 9001: 2008 certificate.

Naša kompanija koja brzo raste u vrlo uravnoteženoj i zdravoj strukturi izdvaja se pouzdanom uslugom; je takođe ojačao svoju politiku kvaliteta certifikatom TSE, Izveštajem o usklađenosti sistema sigurnosnih skele koji je odobrio Gebze Tehnički institut za tehnologiju i certifikatom ISO 9001: 2008.



H Type Scaffolding System
Sigurni sistem skele



Multidirectional Scaffolding System
Sistem prirubničke skele




Mobile Scaffolding System
Mobilni sistem skele

Edge Protection System
Sistem zaštite ivica



H TYPE SCAFFOLDING SYSTEM

Sigurni sistem skele



H Type Scaffolding System

H Type scaffolding system is a widely used scaffolding system for façades of structures, which offers a safe working environment and can be quickly erected and disassembled and easily stored and it has several advantages thanks to its structure that is fully compliant with façades.

Advantages

It can be erected securely for a height up to 100 m. It is erected and disassembled quickly without requiring any hand tool, allowing to save time. It is lightweight and can be stacked easily. It does not cover too much area when being stored, which allows to save space.

Sigurni sistem skele


Sustav sigurnih skela H Type široko je korišten sistem skela koji se koristi na fasadama zgrada, nudi sigurno radno okruženje, može se brzo instalirati i rastaviti, lako se skladišti i ima brojne prednosti svojom strukturom koja može u potpunosti raditi kompatibilan sa fasadama.

Prednosti

100 m. Može se sigurno ugraditi do visine. Može se brzo instalirati i rastaviti, ne zahtijeva ručni alat, štedi vrijeme. Lagan je i lako se sprema. Ne zauzima puno prostora prilikom skladištenja, štedi prostor.

MULTIDIRECTIONAL SCAFFOLDING SYSTEM

Sistem prirubničke skele



Multidirectional Scaffolding System

Multidirectional scaffolding system is a widely used in construction sites, industrial facilities and shipyards that can be used as a façade scaffold, volume scaffold in galleries and shafts, shoring scaffold, staircase tower and mobile scaffold by easily being in compliant with the shape of structure.

Advantages

Can be used for different purposes and offers application variety. Securely and easily complies with different types of structures. Can be mounted and disassembled by a single hammer. Can be used safely at any height and with any width. Easy to move, stack and transport.

Sistem prirubničke skele

Sistem prirubničke skele je svestrani sistem skela koji se široko koristi na gradilištima, industrijskim objektima i brodogradilištima, nudeći mnoga područja upotrebe poput fasadnih skela, volumskih skela u galerijama i prostorima, nosećih skela ispod ploče, tornja ljestvi i pokretnih skela, lako se prilagođava obliku zgrade.

Prednosti

Može se koristiti u različite svrhe i nudi razne načine upotrebe. Lako se prilagođava različitim stilovima gradnje. Može se instalirati i ukloniti jedan udarac čekića. Može se sigurno koristiti u željenoj visini i širini.

H TYPE SCAFFOLDING SYSTEM / Sigurni sistem skele



MULTIDIRECTIONAL SCAFFOLDING SYSTEM / Sistem prirubničke skele



Mobile Scaffolding System / Mobilni sistem skele



Edge Protection System / Sistem zaštite ivica



**METCOM
UPVC WINDOWS & DOORS**

**METCOM
PVC PROZORI & VRATA**



Automatic Rolling Shutter

Automatic shutters are generally used in workplaces, which are used to close doors or windows, and have an automation system preferred because of their security and decorative appearance.

Automatic shutters can be manually controlled with the help of a remote control or a wall-mounted button / switch, unlike the old-style shutters.

Automatski rolo zatvarač

Automatske rolete se obično koriste na radnim mestima, koja se koriste za zatvaranje vrata ili prozora, a sistem automatizacije im daje prednost zbog njihove sigurnosti i dekorativnog izgleda.

Automatskim roletnama se može ručno upravljati pomoću daljinskog upravljača ili zidnog dugmeta / prekidača, za razliku od starih kapaka.



Folding Glasses

Stainless steel roll bearings are used in each layer (2 on the bottom and 2 on top).

Aluminum profiles can be painted with natural, white or other paint colors. Wooden color options are available. Our system fits with all kinds of balconies.

Aluminum stoppers are used for opening the wings.

Preklopno Staklo

U svakom sloju se koriste kotrljajni ležajevi od nerđajućeg čelika (2 na dnu i 2 na vrhu). Aluminijski profili mogu se bojiti prirodnim, belim ili drugim bojama boje.

Dostupne su opcije drvenih boja. Naš sistem odgovara svim vrstama balkona. Za otvaranje krila koriste se aluminijski čepovi.





Glass Rails

Glass balustrades, which are the favorite glass railing model of recent times, manage to be indispensable for many houses because they are produced from solid, durable, stylish and healthy raw materials. It is among the railing models that are often used in stair railings, balcony railings and gallery railings. Glass Balustrades applications can be designed in desired sizes and shapes. You can use it safely for many years without spoiling and rusting.



Staklene Ograde

Staklene ograde, koje su omiljeni model staklenih ograda u novije vreme, uspevaju da budu neophodne za mnoge kuće jer su proizvedene od čvrstih, izdržljivih, modernih i zdravih sirovina. To je među modelima ograda koji se često koriste u ogradama stepeništa, balkonskim ogradama i ogradama galerije. Primene staklenih ograda mogu se dizajnirati u željenim veličinama i oblicima. Možete ga bezbedno koristiti dugi niz godina bez kvarenja i rđanja..

Pergola Systems

The system is provided by the a high-speed control of the motor with remote control.

With remote-controlled LED lighting system is more elegant environments and obtained light intensity according to the place.

Staklene Ograde

Sistem pruža brzu kontrolu motora sa daljinskim upravljačem.

Sa daljinskim upravljanjem LED sistem osvetljenja je elegantnijeg okruženja i dobiva intenzitet svetlosti prema mestu





Winter Garden

It Consists of special profiles thats designed for roofs . The winter garden is built on steel construction. This construction carries the roof. The aluminum roof profiles carry the weight of the glass.

Zimska bašta

Zimska bašta sastoji se od posebnih profila koji su dizajnirani za krovove. Zimska bašta je izgrađena na čeličnoj konstrukciji. Ova konstrukcija nosi krov. Aluminijski krovni profili nose težinu stakla.



UPVC Windows Doors

It provides unique thermal and sound insulation with its 84 mm profile width and 7- chamber structure. System offers ideal solutions for all expectations with different colour options.

Technical Specifications

Profile Width	: 84 mm
Number of Chambers	: 7
Number of Gaskets	: 3 (Middle Gasket)
Gasket	: TPE Gray/ Black
Glazing Bead	: Single Claw – PCE Gasket
Glass Thickness	: 24,30,36,44,52 mm

PVC Prozori Vrata

Svojim profilom od 84 mm pruža jedinstvenu toplotnu i zvučnu izolaciju širina i 7- komorna struktura. Sistem nudi idealna rešenja za sva očekivanja sa različitim opcijama boja.

Tehničke specifikacije :

Širina profila	: 84 mm
Broj komora	: 7
Broj zaptivki	: 3 (Srednje zaptivko)
Zaptivka	: TPE Siva/ Crna
zastakljivanje perle prozor	: Pojedinačna kandža – PCE zaptivko
Debljina stakla	: 24.30,36.44,52 mm





Photocell Doors

It is the name given to door types that are known as automatic doors but have the ability to open and close themselves together with the door being sensitive to movement. These automatic door systems, which are produced for energy saving, instantly detect you when you enter the transition area and open automatically. You do not need any physical force to open the door. Photocell door systems, which are effortless and easy to use, are compatible with all decorations with their aesthetics.

Automatska Staklena Vrata

To je ime dato za vrste vrata koja su poznata kao automatska vrata, ali imaju mogućnost otvaranja i zatvaranja zajedno sa vratima koja su osjetljiva na kretanje. Ovi automatski sistemi vrata, proizvedeni za uštedu energije, trenutno vas prepoznaju kada uđete u prelazno područje i automatski se otvore. Za otvaranje vrata vam nije potrebna nikakva fizička sila. Sistemi vrata sa fotočelijom, koji su napori i jednostavni za upotrebu sa svojom estetikom kompatibilni sa svim ukrasima.




METCOM GLASS FACADE METCOM STAKLENE FASADE

Aluminium Composite Panel

Composite panels are installed on the main structure with special adjusted vertical clips. Walls without windows are cladded. The system also provides nano PVDF and non-flammable specialities for easy cleaning and security.

Kompozitni panel od aluminijuma

Kompozitni paneli su instalirani na glavnoj konstrukciji sa specijalno podešenim vertikalnim kopčama. Zidovi bez prozora su obloženi. Sistem takođe pruža nano PVDF i nezapaljive specijalitete za lako čišćenje i sigurnost.



Insulated Aluminium Window Systems

Thermal insulated systems with 3 chambers.

OKVIR : 55 mm	OKVIR : 64 mm
VENT : 65 mm	VENT : 74 mm
U _f : 3,6 W/m ² k	U _f : 2,8 W/m ² k

Izolovani aluminijumski prozorski sistemi

Toplotno izolovani sistemi sa 3 komore.

OKVIR : 55 mm	OKVIR : 64 mm
VENT : 65 mm	VENT : 74 mm
U _f : 3,6 W/m ² k	U _f : 2,8 W/m ² k



Classic Facade Systems with Covers


In classic facades with covers, glass is installed in the aluminium frames using pressure cover profiles. Therefore, when looked at from outside, these cover profiles are visible.

OUTHER WIDTH : 50 mm.

Klasični Fasadni Sistemi sa Poklopcima

U klasičnim fasadama sa poklopcima, staklo se ugrađuje u aluminijumske okvire pomoću profila pod pritiskom. Stoga, kada se gleda spolja, ovi profili pokrivača su vidljivi.

VANJSKA ŠIRINA : 50 mm.



Structural Silicon Facades


The glass is first bonded with the frame profile. Later, these frames with glass are installed in the aluminium frames. When looked from outside there is a continuous glass effect.

OUTHER WIDTH : 50 mm

Strukturne Silikonske Fasade

Staklo je prvo povezano sa profilom okvira. Kasnije su ovi okviri sa staklom ugrađeni u aluminijumske okvire. Kada se gleda spolja, postoji neprekidni stakleni efekat.

VANJSKA ŠIRINA : 50 mm



Transparent Spider System

Transparent -planar or spider facade system is mainly used in the places like showrooms, entrance canopies, display window and other places where transparency is important. Glass is drilled on four corners and using stainless steel studs, is mechanically fastened to the supporting steel structure. Vertical and horizontal joints are sealed with UV resistant silicons in this system.

Transparentni Sistem Pauka

Transparent -planarni ili pauk sistem fasada uglavnom se koristi na mestima kao što su izložbeni saloni, nadstrešnice za ulaz, izlog i druga mesta na kojima je transparentnost važna. Staklo se buši na četiri ugla i pomoću nehrđajućih čeličnih klinova je mehanički pričvršćeno na noseću čeličnu konstrukciju. Vertikalno i horizontalno spojevi su u ovom sistemu zapečaćeni silikonima otpornim na UV zračenje.






Gaziantep City Hospital



Anadolu Cam



Ref Plaza



Demirli Yapı



Dumankaya Horizon




Vadi Kule



Tanga Beach Resort Hotel -Tanzania



Autopia-Istanbul




Engine




Arma Recidance



Yedi Mavi



Spider Glass



Istanbul, Turska

📍 Beysan Sanayi Sitesi
Birlik Sokak No: 3/6 Beylikdüzü
Istanbul, Turska

☎ +90 (212) 485 07 87

✉ teknik@metkomaluminium.com
export@metkomaluminium.com

Köln, Njemačka

📍 Metcom Bau GmbH
Bunsenstr.3, 51145
Köln, Njemačka

☎ +49 177 5826795

✉ export@metcom-bau.de

Dar es selaam, Tanzanija

📍 Hifadhi Export processing Zone Ubungu,
Industrial area C-9 Block No:16,
Dar es selaam, Tanzanija

☎ +255 22 2451813

✉ export@metkomaluminium.com

Srbija

📍 Autoput Novi Sad 2E Beograd Zemun

☎ +381 62 212900

✉ export@metkomaluminium.com